




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : H04Q 7/04	A1	(11) International Publication Number: WO 92/16078 (43) International Publication Date: 17 September 1992 (17.09.92)
(21) International Application Number: PCT/US92/01774 (22) International Filing Date: 3 March 1992 (03.03.92) (30) Priority data: 673,140 4 March 1991 (04.03.91) US (71) Applicant: MEGATREND TELECOMMUNICATIONS [US/US]; 1278 Main Street - Suite 127, Watertown, CT 06795 (US). (72) Inventors: WITTSTEIN, Alan, D. ; 35 Roseville Road, Westport, CT 06880 (US). CIOCCA, Giacomo, A. ; 296 Cedar Mountain Road, Thomaston, CT 06787 (US).		(74) Agent: NEFF, Gregor, N.; Curtis, Morris & Safford, 530 Fifth Avenue, New York, NY 10036 (US). (81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BG, BR, CA, CH, CH (European patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GB, GB (European patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC (European patent), MG, MN, MW, NL, NL (European patent), NO, PL, RO, RU, SD, SE, SE (European patent). Published <i>With international search report.</i>

(54) Title: MOBILE TELEPHONE, SYSTEM AND METHOD**(57) Abstract**

The mobile telephone (62) is well adapted for use as a rental phone. It has an on-board computer (70) which computes and stores telephone usage and control information such as charges for usage of the telephone. Time and charge limits can be set for the telephone. For example, the telephone can be set to disable itself for all or a selected category of incoming and outgoing calls after the passage of a pre-determined time, and/or when the total usage charges reach a pre-determined maximum. Preferably, these limits can be set and adjusted remotely.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	ML	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NL	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	RO	Romania
CA	Canada	IT	Italy	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark	MG	Madagascar		
ES	Spain				

-1-

MOBILE TELEPHONE, SYSTEM AND METHOD

This invention relates to mobile telephones and methods of using and renting them, and particularly to mobile telephones, systems and methods for use in
5 rental vehicles, such as rental cars and trucks, taxis, limousines, golf carts, boats and aircraft, and in other rentals such as in hotels, motels, restaurants, catering halls, convention centers, etc.

One of the problems in renting mobile
10 telephones lies in the risk involved with allowing the rental customer to make calls without any limits as to time or charges. Thus, even though the customer uses a valid credit card to which to charge the cost of the rental, and even though the renting company may obtain
15 authorization for a specific amount of charges from the credit card company before the rental is made, there is nothing to prevent the customer from incurring charges exceeding that amount. The result may be that the excess charges never are paid. A similar problem
20 exists with enforcing time limits agreed to by the customer when renting the phone.

The foregoing problem is complicated by the fact that the telephone lessor usually would like to allow customers to use the telephone beyond the pre-
25 determined credit or time limits, as long as he or she has sufficient credit to pay for the extra use.

One prior mobile telephone rental approach used with rental vehicles is to provide a credit card reader with the telephone in the vehicle. The user
30 usually must insert his or her credit card into the reader in order to use the phone. This has several disadvantages. First, the card reader is expensive and takes up a considerable amount of space. Secondly, the

-2-

need to insert a credit card is cumbersome and can be dangerous, if it is the driver of the vehicle who is using the phone. Also, in most such devices, although verification of the credit card is performed,
5 authorization of an amount of credit is not. Thus, even though the call is charged to a valid card, there is no assurance that the holder has not exceeded the limit of charges on his card. Thus, there is a significant chance that the rental company will not be
10 paid for the call.

Billing for the call is computed at a central station, and a bill usually is sent to the rental company or customers only relatively infrequently. Thus, the user usually does not know the amount of the
15 charges for some time and cannot get reimbursement for the costs from his employer or client until well after the event.

An additional problem is that mounting the card reader often requires holes to be cut in the
20 interior of the car. This is highly undesirable for rental cars because the holes reduce the value of the cars after the phones are removed.

In another prior system, portable cellular telephones are rented by the customer, carried out to
25 the car, and carried back to the rental station when returned. The rental usually is arranged at a counter separate from the vehicle rental counter, and a separate bill and credit card verification are required.

30 This prior system is cumbersome, labor-intensive, slow and inconvenient for both the customer and the rental company. Moreover, the telephones are not firmly secured in the vehicle and thus can be dropped and mishandled by the customer or easily stolen

-3-

by thieves. Further, the loose telephones are relatively clumsy to use, and thus may reduce the safety of operation of the vehicle if the driver of the vehicle uses the phone while driving.

5 In neither of the foregoing systems does the telephone compute and store rental charges for the phone. This means that billing must be computed elsewhere, with extra delays.

10 Another prior system, sold under the trademark "Automate" by Megatrend Telecommunications of Thomaston, Connecticut, uses an on-board microcomputer to compute the charges for the phone usage, has an integral printer. The charges and other call details are not stored but are printed as the calls are being
15 made. In limousines and taxis, etc., the printed call detail record is readily accessible to the driver, who can present the bill to the customer on the spot, and get paid for the calls then or later.

20 Similar systems are sold by Megatrend Telecommunications under the marks "Tablemate" and "Firstmate" for use in restaurants and boats, respectively.

25 In rental cars, the customers are not given access to the printer. The printer typically is locked in a case kept in the trunk of the car. When the car is returned, an employee unlocks the case and removes the printed strip bearing the call data and charges, and turns it into the rental desk where a corresponding bill is prepared. The telephone is mounted securely in
30 the car.

 The Automate system has several advantages over the other prior systems described above. For example, the phones are mounted securely in the cars and need not be moved during either rental or return.

-4-

Bills can be prepared and given to the customers faster. Credit card readers are not required. However, the system requires that an employee manually fetch the phone usage print-out and turn it into the rental desk. If the employee forgets or otherwise fails to do this, the customer is not charged for the use of the phone, and the rental company loses revenues. Furthermore, installation of the device in the cars can be relatively difficult and expensive, in that an electric cable is used to connect the telephone and computer in the front seat area of the car to the printer in the trunk. Of course, the printer adds cost to the system. The need to keep the printer locked up and located in the trunk of the car slows the retrieval of the printed tickets and, therefore, adds labor cost to the process.

Other general systems for mobile telephone rentals have been proposed but are not known to have been used commercially to any significant extent.

In hotels, motels, convention centers, and similar temporary locations for businesses and people, there is a need for mobile telephone rentals.

Often, the hotel or motel guest needs a mobile telephone for use on business and meetings conducted outside the hotel or motel, or in rooms within the hotel whose telephone service is inadequate. Again, as with the rental of mobile phones in rental vehicles, there is a need for quickly and easily determining call details and charges to be added to the guest's hotel bill when he or she checks out. Otherwise, there might well be a serious delay in the billings for such rentals, with a concomitant loss of earnings and/or unhappiness of customers. Other

-5-

problems with and deterrents to such rentals are the risk and other factors mentioned above.

Some prior cellular mobile telephones have "transceiver locks", by means of which the mobile telephone transceiver is disabled entirely when a certain combination of keys is pressed by the user, thus preventing unwanted use while the owner or renter is away from the phone. This system does not always work when an interface is added to enable the use of an ordinary telephone with the cellular phone.

In rental telephones, another problem is that calls directed to the prior renter of the phone can be a nuisance to the new renter of the phone. Also, because charges are made for incoming calls as well as outgoing calls, they can cause the new renter expense and dissatisfaction.

"Dropped calls" are a special problem in mobile telephones. When a call connection is broken by system interference, one of the parties must re-make the call, and the party being charged for the call expects credit for the last minute of the call. Providing this credit to the customer is a problem, especially in a mobile telephone with an interface permitting the use of an ordinary telephone.

In accordance with the foregoing, it is an object of the invention to provide a telephone, system and method, and particularly a mobile telephone, system and method which overcomes or alleviates the foregoing problems.

It is a further object to provide a mobile telephone, system and method in which monetary risks due to excessive use of the telephone by the user are minimized.

-6-

In particular, it is an object to provide a mobile telephone, system and method in which the telephone device in the car can be checked out and checked in with the rental vehicle in which it is mounted, without the need for a card reader or printer in the car, or for making any modifications to the car which will lower its value, and without the need to carry the telephone device to or from the rental vehicle.

10 It is a further object to provide such a device, system and method which can be controlled to read out the call charge data, enable, disable and adjust time or charge limits for the telephone device, all without human manipulation of the mobile telephone device.

15 It is another object to provide a mobile telephone device which computes and stores all detail records and charges and remotely or locally reads out that information for billing purposes.

20 It is another object to provide a mobile telephone device having some or all of the foregoing beneficial characteristics, and which is portable. In particular, it is desired to provide such a portable rental unit which is easy to check in and out at hotels and motels, convention centers, or other telephone rental stations.

25 It is a further object of the invention to provide such a telephone and system which are relatively small in size, economical to make and install, and reliable in use.

30 The foregoing objects are met, in accordance with the present invention, by the provision of a mobile telephone, device and method in which limits on the usage of the telephone can be set and enforced

-7-

automatically and/or remotely. Preferably, the telephone device can be set to automatically disable the telephone for making and receiving telephone all calls or selected calls, when a pre-determined charge
5 limit and/or time limit has been reached. Preferably, the charge limit is that which has been authorized to be charged against the rental customer's credit card, and the time limit is the time limit for the rental agreed to at the time of rental.

10 The invention also fulfills the objects set forth above by providing a mobile telephone device which stores telephone usage data and delivers corresponding data signals in response to interrogation at a rental station. Preferably, the telephone device
15 includes a microprocessor programmed to compute charges for the use of the telephone.

Also, it is preferred that when the usage limit of the mobile telephone has expired, the telephone is still enabled to place free emergency
20 assistance calls to law enforcement and medical service organizations, and to the rental company for vehicle repairs, or for increasing usage limits for the telephone. Also, free calls to selected numbers for promotional purposes, or for other desired purposes,
25 can be permitted at all times, regardless of the expiration of any time or charge limits.

The invention also provides a mobile telephone rental system and method in which such mobile telephone devices are mounted in rental vehicles, with
30 control means at the rental station for retrieving the telephone usage data from the telephone devices. Preferably, this is done remotely by use of the same terminal equipment used in the rental of cars.

-8-

Preferably, the vehicle rental computer terminals and printers normally used to prepare vehicle rental contracts are provided with modems and software enabling them to be used to dial the telephone in a given vehicle, whether or not it is in use, and read data, enable or disable the telephone, set the time and charge limits and perform all control operations for the telephone, as well as adding telephone rental charges to the usual car rental bill.

Alternatively, telephone control software can be stored in the disk file of the terminal or an auxiliary disk file and accessed to enable the terminal to perform the telephone control functions. In another alternative, a stand-alone dedicated auxiliary modem, computer terminal and printer can be provided for the same purpose. Another alternative embodiment uses a modem and micro-computer mounted on an expansion card and inserted in an expansion slot of the terminal to be accessed and used for telephone function control. In these alternative embodiments, it may be preferable to print a telephone bill which is separate from the car rental bill and to use a dedicated printer for the purpose.

A "valet lock" feature also is provided to permit the telephone renter to partially disable the telephone when he or she turns the vehicle over to a stranger who is to park the vehicle, repair it, or otherwise use the vehicle without the presence of the renter. The phone is selectively "locked" by programming its computer so that it remains usable for emergency calls and data transfers, and, if desired, for other free calls. The locking code can be changed readily, and easily can be made random and different

-9-

for each mobile unit rented by a given rental company, thus increasing the security of the lock system.

5 In another embodiment of the invention, the mobile telephone devices are manually interrogated to obtain call detail information upon return of the rental equipment to a rental station, without including a printer in the telephone device. For example, the call detail data is stored in memory in the telephone device. Then, when the device is
10 returned, an output device such as a printer or electronic data transfer device is plugged into the mobile unit to read out the desired data. The data then is used to prepare a bill or receipt to the customer.

15 In rental vehicles, the telephone device can be located conveniently in the front seat area, fully accessible to the customer and to a rental company attendant who can retrieve the data by simply plugging a hand-held portable printer or electronic data storage
20 device and carry it to the rental station for use in preparing a bill. It is not necessary to unlock the trunk and a case in the trunk, to get access to a printer, and it is not necessary to supply a printer with the telephone device.

25 In portable telephone devices, preferably rented in carrying cases, the data can be retrieved remotely or by a hand-held retrieval device, but it is preferred that data retrieval be done by plugging a cable into a port on the telephone device and
30 conducting that data to a computer. In a hotel or motel, that computer preferably would be one used by the establishment for normal guest check-in and check-out functions. Thus, the charges easily can be added to the guest's hotel or motel bill.

-10-

An incoming call protection feature protects against unwanted calls directed to the phone by callers using the phone number of a prior renter by using the phone's computer to recognize the call only if it
5 contains an added digit.

The digit is easily changed to make the phone number for a new renter different from the number for the prior renter. Preferably, the number indexes automatically with each new rental.

10 Credit for the last minute's charge for "dropped calls" is provided by detecting whether either party hangs up prior to breaking of the connection. If a hang-up occurs, it is determined to be a completed call, and no credit is given. If it does not occur,
15 the call is counted as a dropped call, and the credit is given.

Other objects, advantages and features of the invention will be set forth in or will be apparent from the following description and drawings.

20 Fig. 1 is an elevation, partially-schematic view of a typical vehicle rental station and remote vehicle containing a mobile telephone device and illustrating a mobile telephone rental system constructed in accordance with the present invention;

25 Fig. 2 is a schematic diagram showing other features of the system of the mobile telephone of Fig. 1;

30 Fig. 3 is a plan view showing a larger vehicle and telephone rental system in its further details constructed in accordance with the present invention;

Fig. 4 is a block diagram of the on-board computer of the mobile telephone of the invention;

-11-

Fig. 5 is a perspective view of a mobile telephone device of the invention;

Fig. 6 is a schematic perspective view of a hotel or motel reception desk as adapted for use with the invention; and

Figs. 7 through 10 are flow charts illustrating computer program used in the present invention; and

Fig. 11 is a perspective view of another embodiment of the invention.

VEHICLE RENTAL EMBODIMENT

A vehicle rental station or desk 10 is shown in Figures 1 and 2. At the rental station 10 there are two conventional computer terminals 14 and 16 such as those which are used at automobile rental stations in airports or other locations. Each of the terminals 14 and 16 includes a keyboard 26 or 28, and a screen, 20 or 22. Each terminal is connected to a printer 38 which prints vehicle rental agreements for customers.

The two terminals 14 and 16 illustrate two different kinds of terminals which are typically used. The terminal 14 has a internal disk drive indicated at 32 for accepting programs. The terminal 16 is a work station for a local area network which has an external file server 34. The file server 34 has disk storage which is shared with other terminals. A data transfer cable 40 is provided to connect to data storage devices to transfer data into the terminal 14, in one of the alternative embodiments of the invention to be described below.

Also shown in Fig. 1 is a rental vehicle 12 which is located remotely from the vehicle rental station 10. It has an antenna 52 of the variety mounted on the windshield of the automobile, and

-12-

communications are received and transmitted by means of the antenna as part of a mobile telephone device mounted in the vehicle.

Referring now to Figure 2, in accordance with one feature of the present invention, the mobile telephone device 62 mounted in the vehicle includes an on-board computer 70 which computes charges made for the use of the telephone based on charge rates stored in its storage means, and stores that information as well as other call usage information, such as the other data normally included in a Call Detail Record.

The mobile telephone rental system shown in Figures 1 and 2 is adapted to remotely enable the mobile telephone device 62 mounted in a rental vehicle when it is being rented by a customer. It also is adapted to remotely interrogate the telephone device 62 upon return of the vehicle by the customer, and retrieve the data stored in the on-board computer 70 for use in preparing a bill to the customer for use and rental of the telephone.

Preferably, this is done by use of one of the terminals 14 or 16, or an optional terminal 18 at the rental station, through the telephone lines and a cellular telephone system, and one of the modems 44, 46 or 48 connected to the terminal. It should be understood that the modems usually will be mounted inside the terminal housings. The telephone usage information then is utilized at the terminal to prepare a bill to the customer, by using the printer 38, or by using another printer 42, which is dedicated solely to preparing telephone rental bills.

It is preferred that the rental company's computer system which is used to prepare rental contracts is programmed so that the telephone rental

-13-

charges are included on the normal vehicle rental contract. Thus, the equipment and forms already used by the vehicle rental company also can be used to rent and control the mobile telephones, with relatively few
5 modifications or additions.

Alternatively, it is possible to avoid programming the computer system of the rental car company by providing a separate stand-alone personal computer 18 with a modem 48 and a separate printer 42
10 to provide a bill for the telephone rental information and control. This adds some hardware cost, but provides an easily usable rental system when full reprogramming of the car rental system is not warranted.

15 The mobile telephone device 62 (Figure 2) also is provided with the capability of being disabled selectively when certain usage limits have been met during a rental. For example, in accordance with one aspect of the invention, the system shown in Figs. 1
20 and 2 is provided with means for setting time and/or monetary limits on the usage of the telephone by the customer. By operating the keyboard 26, 28 or 30 of one of the terminals, the operator can enter monetary limits for the usage of the telephone. Preferably,
25 these limits will be equal to a pre-determined authorization amount reserved with the credit card company for the credit card of the customer at the time of the rental. The mobile telephone device 62 includes means for selectively disabling the use of the
30 telephone device to make or receive most or all calls when the dollar amount has been reached.

Similarly, the rental agent can set a limit on the time during which the telephone can be used. For example, the time limit can be set at the scheduled

-14-

return time for the vehicle, plus a certain amount of permitted overtime. The telephone is automatically disabled for making or receiving most or all calls when that time expires.

5 In Figure 2 of the drawings, the vehicle rental system is illustrated by showing only one of the terminals shown in Fig. 1, the terminal 14 with its modem 44. Also shown is a telephone line linkage 54 which is linked through normal telephone connections to
10 a telephone central station 56, through a cellular network (not shown) and cellular telephone antenna 58 or 60 to the mobile telephone device 62 on-board the vehicle 12.

 In its preferred embodiment, the telephone
15 device is a cellular telephone device, but this is not essential to the invention. For example, the invention is usable with "PCN" or "CT/2" mobile telephone technology, as well as other mobile telephone technology. As it is well known, in a cellular
20 telephone system, as the automobile travels from the area covered by one of the antennas 58 into the area or "cell" of the next antenna 60, the communications link is automatically switched from one of the antennas to the other.

25 **MOBILE TELEPHONE DEVICE**

 The mobile telephone device 62 in the vehicle includes the antenna 52 which is connected to a conventional cellular transceiver 66. The transceiver 66 is connected to an interface device 68, of known
30 construction which is used to convert the signals to and from the transceiver 66 into ordinary telephone signals. The interface device provides, for example, an ordinary dial tone, etc. as is well known. This

-15-

permits the use of ordinary telephone devices in the vehicle.

Connected to the interface 68 is the on-board computer 70.

5 The on-board computer 70 is shown in some detail in Figure 4. The computer 70 includes a microprocessor 88, a read- only memory (ROM) 90, random access memory (RAM) 92, input/output circuitry 94, and a clock circuit 96 powered by a lithium battery 98.

10 The random access memory is used to store call detail record data, to compute charges for usage of the telephone device by the customer, and for other conventional purposes. A known answer detection device 97 is provided so as to charge the customer only for

15 calls which are actually completed.

Referring again to Figure 2, the mobile telephone device 62 also includes a telephone hand-set 72 and a key pad 82 for dialing and other normal telephone functions. Preferably, the hand-set 72 also

20 has speed-dialing keys so that the user can dial commonly-called numbers simply by pressing one button, the telephone device also preferably has a "speaker" phone so that the user can talk on the telephone while using both hands to drive the vehicle.

25 The telephone device 62, when mounted in a vehicle, has a display panel 83 exposed to the view of the telephone user. The display panel 83 has LED indicator lamps 85 and 87 which indicate, respectively, when the time limit or charge limit of the telephone

30 has been reached. If preferred, the displays can show the amount of time or credit left.

Alternatively, the limit indication can be given by audible tones or synthesized voice warnings

-16-

through the telephone or other speaker. These features will be described in greater detail below.

As it is indicated in Figure 2, the telephone device is powered by the vehicle battery 76, except
5 that the clock 96 has its own battery 98. Power is applied by closing the ignition switch 78 on the automobile. After the ignition switch is turned off, a time-delay relay 74 maintains the connection of the telephone device to the vehicle battery for a pre-
10 determined length of time, e.g., one to eight hours or so, to ensure that the telephone device remains energized for a desired length of time after the vehicle has been returned to the rental station so that it can be interrogated for call detail record data at a
15 convenient time after the vehicle has been returned.

The RAM 92 (Figure 4) preferably is non-volatile so that it retains data stored in it even after the ignition switch is turned off and the relay 74 has opened. The RAM can be battery-backed, using
20 the same battery 98 as the clock circuit 96, or it can be a static RAM or other type of non-volatile memory. Data is stored in the memory 92 until it is downloaded for use in customer billing. The data is retained in RAM after downloading until the telephone is rented
25 again.

The battery 98 keeps the clock circuit operative at all times, thus ensuring that the computer has at hand a reliable indication of the correct date and time of day, and allows servicing of the telephone
30 unit without loss of this facility.

Referring again to Figure 2, a jack is provided at 84 to connect a telefax machine or a modem to the telephone device to send or receive a fax, or to send or receive data through the modem.

-17-

Also, an output receptacle 86 is provided to which a hand-held printer 89 or other data collective device can be connected to provide a print-out of the data stored in the computer, as it will be described in greater detail below. Preferably, the software requires the use of an access code as protection against unauthorized access. In addition, the terminal 86 is non-standard so that it will accept only a special plug used by the rental company so as to prevent customers from reading out the data and avoiding payment of the telephone charges.

The telephone equipment comprising the device 62 is quite compact. The telephone handset can be mounted, for example, on a goose-neck flexible arm anchored to one of the seat -mounting bolts for the front seat of a car or truck. The remaining electronic equipment will fit neatly behind the dashboard, in the space and with the straps and other fasteners often used to locate stereo equipment. Thus, there is no need to cut holes in or otherwise mutilate the vehicle to mount the telephone device. Furthermore, when the vehicle is sold or otherwise disposed of, the telephone device can be removed easily and remounted in another vehicle.

25 REMOTE CONTROL

There are several different ways in which the terminals 14, 16 or 18 (Figure 1) at the vehicle rental station 10 can remotely enable, disable, interrogate and otherwise control the telephones in the vehicles. One method, referred to briefly above, is to provide a stand-alone personal or other small computer 18 with its own screen 24, keyboard 30, disk drive 36, and modem 48, connected to a dedicated printer 42 to print

-18-

telephone rental data on separate forms provided for that purpose.

5 Instead of using a dedicated printer, the printer 38 used for preparing vehicle rental documents also could be used to prepare telephone rental documents except that it might be inconvenient to change the paper.

10 The use of the stand-alone terminal 18 is preferred where it is not practical to use one of the other approaches described below.

15 The approach which minimizes the amount of extra hardware needed is to reprogram the programs used with the normal vehicle rental terminals 14 and 16. Thus, separate lines for telephone rental information can be provided on the normal vehicle rental forms, and the rental of the telephones can be accomplished with a few extra key-strokes.

20 A third method of implementing the invention for vehicle rental is to store the program information needed for telephone rental and control on disk, in either disc file 32 or file server 34. Then, when it is desired to rent or control a telephone, the program routine stored on disc can be accessed and utilized in performing the various computer routines needed.

25 Another approach for doing the same thing is illustrated in Figure 2. If the computer terminal 14 or 16 is provided with sufficient expansion slots, a separate microprocessor-based computer can be mounted on one or more expansion cards 64 which are inserted
30 into the expansion slots of the computer. Then, the card can be accessed by one or more key strokes of the keyboard, in the same manner that other expansion cards are accessed in personal computers. By providing a separate microcomputer for rental control of the mobile

-19-

telephones, additional memory capacity is added to the computer, and the rental and control functions can be performed faster.

LARGE SYSTEM

5 Fig. 3 is a schematic diagram of a large vehicle rental system constructed in accordance with the present invention. It is merely one example of one of many different configurations in which the invention can be used.

10 Figure 3 shows a portion of a typical airline terminal 100 in the upper left-hand portion. The airline terminal 100 has a plurality of baggage claim areas B1, B2, etc. Located near the baggage claim areas are the vehicle rental stations 102 and 104 of a
15 particular vehicle rental company called "Company X" in this example. If the airline terminal is a small terminal, there might only be one of the rental stations, and the vehicles may be in a nearby parking lot. However, if the airline terminal is relatively
20 large, there often will be multiple rental stations as shown in Fig. 3, and a remote rental vehicle lot 106 which is shown in the upper right hand portion of Fig. 3. The remote vehicle rental lot 106 includes vehicle return lanes 117, vehicle storage spaces 108, entrance and exit gates 110, and a garage 116 for servicing the
25 vehicles.

 The remote rental vehicle lot includes a return building 112 with a rental station 114 having equipment like that shown in Fig. 1. Each of the
30 stations 102 and 104 also includes an array of equipment similar to that shown in Figure 1. Any of the rental stations 102, 104 or 114 can be used to rent vehicles and telephones remotely.

-20-

Figure 3 shows a communications link 120 between the three stations, 102, 104 and 114. Each of those stations is connected for communication with a remote central computer 122 used by Company X in its rental system. That computer is connected to other service regions, as it is indicated in Figure 3. The link is through modems and telephone lines, or through other known means.

The vehicle rental system of Company X typically includes non-airport rental stations 124 and 126, which are located in the same service region as the airport stations, or in far-away locations. The invention also can be used at the non-airport rental stations 124 and 126, which has the same equipment as that located at the station 10 shown in Figure 1.

One of the advantages of the invention becomes readily apparent when one realizes that vehicles often are returned at a location remote from the station where the vehicle was rented. For example, if the vehicle was rented at station No. 102, usually it is returned to the remote vehicle lot 106. The customer typically will leave the vehicle at the lot 106 and either drop the rental contract into a return receptacle in the building 112, or the customer will go to the rental station 114 in the lot 106 to have the contract filled out so that an exact bill can be carried away by the customer.

To check the telephone in, the rental company attendant merely enters some keystrokes on the keyboard, 26, 28 or 30. This automatically dials the telephone number of the mobile telephone in the vehicle which has just been returned through the modem 44, 46 or 48, and causes a coded signal to be sent to the telephone. This causes the telephone device in the car

-21-

to deliver the call detail record data it has stored through the cellular phone system (Figure 2) to the computer terminal. From that data the agent can prepare a bill to give to the customer.

5 Alternatively, if the customer merely drops a copy of the contract into the return receptacle, the agent can, at a time convenient for his or her work schedule, call up the vehicle telephone and retrieve the stored information from it to prepare a bill to be
10 sent to the customer later. As noted above, the telephone device remains connected to the car battery for a certain length of time after the ignition is turned off to enable such an operation.

 As it can be seen, there is no requirement
15 that the vehicle carry an expensive printer to print-out the information computed and stored by the on-board computer. There also is no requirement that an employee travel to the telephone device and mechanically retrieve a printout for that purpose.
20 Instead, the check-in and billing is provided promptly, with a minimum of labor cost, and with a minimum of hardware cost.

HAND-HELD PRINTER EMBODIMENT

 In an alternative embodiment, which has been
25 described briefly above, a hand-held printer 89 (Figure 2) is used to retrieve the call data from a telephone when it is returned. The device 86 shown in Figure 2 preferably is a cable with a connector enabling it to manually be connected to the hand-held printer. The
30 cable attached under the dashboard of the car by means of "velcro" hook and loop material.

 The rental car company attendant simply removes the cable 86 from under the dashboard, plugs it into the hand-held printer, and pushes a button to

-22-

download the data from the phone computer to the printer and print out the data. When a complete print-out has been obtained, the attendant dials a "reset" code in the car phone to clear the memory of the computer and ready it for another rental. The print-out then is taken to the rental terminal where it is used to prepare a bill.

Although this embodiment of the invention does not have all of the advantages of the more fully automated embodiments described above, it does have advantages over the prior device which has an integral printer and usually is locked in a box in the trunk of the car.

With this embodiment, the car phone does not need its own printer. Therefore, it can be smaller and less expensive, and there is no printer in the car to service.

Since it does not print out call detail data, the computer need not be locked in a box, and need not be stored in the trunk of the car. Instead, it can be simply mounted behind the dashboard. This further reduces cost, and avoids wasting the time of the attendant in unlocking the trunk of the car and the locked box.

For relatively small car rental agencies, and for country clubs which use the invention to provide rental phones in golf carts, or in restaurants, catering companies, small resorts, hotels or motels renting portable telephones, etc., this embodiment of the invention may be preferred because of its lower equipment costs.

PORTABLE TELEPHONE DEVICE

Although the telephone device 62 shown in Figure 2 is mobile, it is not portable; that is, it

-23-

cannot be carried by the user to a location outside of the car. In some vehicle telephone rental situations, and in other telephone rental situations, it is preferred that the telephone device be portable. Such a portable device is shown in Figure 5.

In the portable telephone device 130 shown in Figure 5, the mobile telephone device 62 and a fax machine 164 are housed in a carrying case 132 with a hinged cover 138, a handle 134, and latches 136. A molded plastic inner chassis 140 supports and protects the equipment in the case. A cable receptacle 142 is provided to enable the cable connection of a portable data collection device 146 or a computer terminal 152 or 154 (Figure 6) or 14 (Figure 1) to the telephone device to read out its call detail data. A rechargeable battery 164 is stored in the carrying case 132. The cellular transceiver antenna 52 preferably is of the type not requiring a ground plane. It is attached to the lid 138 by means of clips 53 and can be removed and mounted at a remote location to improve reception.

The portable device shown in Figure 5 is intended to hold standard telephone or business equipment other than or in addition to the fax machine 165. For example, it can hold a lap top computer and modem, answering machine, etc. Therefore, the device constitutes a mobile business station.

It is preferable that the telephone 62 is a cordless phone enabling use of the phone with the lid 138 closed. The base antenna (not shown) for the cordless phone is mounted like the antenna 52.

HOTEL/MOTEL RENTALS

The computer terminals 152 and 154 shown in Figure 6 are located at a hotel or motel registration

-24-

desk 150. they are used to prepare bills for the guests, and for other known purposes in the hotel/motel trade. To check-in a returned rental telephone, the hotel clerk simply plugs a plug on the cable 158 into the receptacle 142 and transfers data. The computer terminals are adapted to add the charges from the mobile telephones to the hotel/motel bill for the guest.

Alternatively, the call detail records can be retrieved remotely from the telephones through modems 160 and 162 like the modems 44, 46 and 48 shown in Figure 1 and the cellular phone system, as in the phones for rental vehicles described above. This may be desired where the phones are not returned to the registration desk.

The remote control of the portable telephones is the same as with the rental vehicle phones. That is, the computer terminals 152 and 154 are adapted to enable and disable the phones remotely, and to set time and charge limits for use of the phones. Further, the user always can call the hotel/motel registration desk or other rental station to ask for service or increase of the time and charge limits, even after those limits have been exceeded. The risk reduction which this factor brings is welcome in all telephone rentals, regardless of whether the phones are portable or mounted in vehicles.

The data collection device 146 shown in Figure 5 can be a printer which prints out the call detail record stored in the mobile telephone device. Then, the printed record is used to prepare a bill to the customer.

Alternatively, the data collection device can be a known code reading device with memory for storing

-25-

the data it receives. For example, the collection device can comprise a known optical reader wand like a bar-code reader, and memory for storing the codes. A receptacle 144 in the carrying case 132 contains a
5 single LED which flashes in a timed sequence to deliver the coded data. If the code is a bar-code, the LED flashes so as to simulate the scanning of the wand over a series of bar codes. The optical pulses thus transmitted represent the call detail record data. The
10 collection device 146 then can be taken into a computer terminal which extracts the stored data and prepares a bill. The data thus is transmitted optically instead of electrically. This can be advantageous in that it prevents a customer from erasing the call record data
15 from the telephone memory by inserting the connector for his own portable printer before returning the telephone, and thus evading paying for use of the phone.

As it is indicated above, the portable mobile
20 telephones 130 can be used by vehicle rental companies to some advantage in some circumstances. Although it is preferred to equip a substantial number of vehicles with mobile phones which are securely mounted in the vehicles, thus avoiding handling the phones during
25 check-out and check-in, the customer may wish to rent a phone which he or she can use in the car, and also can easily carry to another location for use outside the car. Furthermore, some vehicle rental firms may not have the capital necessary to spend on a large number
30 of phones for fixed installation in automobiles. In those cases, the portable units can be preferred.

If portable units are rented by a vehicle rental company, the cable 40 is used at the rental station shown in Figure 1 to retrieve data from the

-26-

phones when they are returned. Alternatively, the data can be retrieved remotely, if preferred.

Figure 11 shows another portable mobile telephone device 166 of the invention. The device 166 is smaller and lighter in weight than the briefcase-sized device 130 shown in Figure 5.

The device 166 has a case 168 made of nylon, canvas, leather, or other similar material, and a carrying strap or handle 170. A hinged top cover with a flap 172 is releasably fastened to the top edge of the case by a hook-and-loop fastener such as that sold under the trademark Velcro.

The structure inside the case comprises a plastic housing with an end wall 180 and side walls with slide receptacles into which several printed circuit cards 181 slide. The printed circuit cards carry the transceiver, computer, interface and battery for the mobile telephone 62. A "rubber stick" flexible antenna 174 is mounted on the end wall 180 and extends through a hole in the case. The telephone handset 82 is just beneath the cover for the case so that it can be removed easily simply by lifting the flap 172 and opening the case.

The device 166 is very convenient for rental in hotels, motels, etc. because it is so small and light-weight. Nonetheless, it has all of the call accounting and limiting features described above and below, plus the ability to use an ordinary telephone with an ordinary dial tone.

30

OPERATION

The operation of mobile telephone device system shown in Figures 1 through 4 in a automobile rental system now will be described, assuming that a stand-alone computer 18 (Figure 1) is used. If the

-27-

rental car computer system is re-programmed to integrate telephone rentals with car rentals, the operation will be simplified considerably. The first step is initialization.

5

INITIALIZATION

Initially, certain data bases should be set up in the rental computer system.

One data base contains vehicle registration and identification ("VIN") numbers. Each VIN file
10 contains the following data, in addition to the registration and identification numbers of each vehicle; the class of each car; the cellular phone number for the phone in the car; the activation code for the phone in that car; the valet lock code to be
15 used by the customer for the valet lock feature; and a modem data link security code to be used to enable the secure transmission of data to and from the telephone by modem.

Another table which should be set up is for
20 default values for variables of the rental systems. The dollars per day ("DPD") default table contains pre-determined default values for the limits for each day of rental, by car class. These values are used automatically when the customer does not request a
25 specific dollar limit and no limit is set by the rental attendant. For example, for a "F" class, full-size four-door car, the default limit might be set at \$15.00 per day. Therefore, for a one week rental, the attendant would contact the customer's credit car
30 issuer and obtain authorization for a total of \$105.00 in credit before the telephone is rented. If the customer does not have sufficient remaining credit, then a different limit would have to be set.

-28-

Another default table should be set up for the default value for the number of extra hours ("EXH") that a rental phone can be kept without charge. After this specific number of hours, an additional rental fee is charged. For example, if the telephone is to be returned at a particular time, and the extra hours default table allows three extra hours, if the customer keeps the car for three extra hours, there will be no additional charge for rental of the telephone. After that, an extra charge will be applied.

After initialization, there are three operational modes:

1. Check-Out/Set-Up;
2. Call Accounting/Update; and
3. Check-In/Shutdown.

These three modes now will be described, with reference to the program flow charts in Figures 7 and 8, and the screen displays reproduced below.

CHECK-OUT/SET-UP

This mode is used when the rental contract first is opened. Once the system computer is powered up at the beginning of the business day, the main menu of the check-out/set-up mode will appear on the screen on one of the terminals 14, 16 or 18. Following is a simulation of the main menu:

MEGATREND TELECOMMUNICATIONS

PHONE RENTAL BILLING SYSTEM

MAIN MENU

Check-Out

Update

Check-In

Move arrow to selection - press ENTER

The arrow indicates the position of the cursor, which indicates that the check-out mode has

-29-

been selected. The default position of the cursor is at check-out mode.

Upon selecting the check-out mode, a new file is created (See Figure 7) and display messages and prompts instruct the terminal operator as to the steps to take in checking out the telephone. The first screen which appears is shown below:

SCREEN NO. 1

Enter RAN: (press ENTER to accept)

10 Is RAN correct? (Press Y or N)

The first screen asks for the Rental Agreement Number ("RAN") by causing the lines forming the rectangular box next to the words "ENTER RAN:" to blink. The blinking stops when the first digit of the RAN is entered, and the box disappears when the ENTER key is pressed to accept the number. The RAN number is on the car rental contract previously filled out for the customer.

The program then requests the entry of a "Y" or "N" to indicate whether the RAN is correct. If "N" is entered, the first step is repeated. If "Y" is entered, the newly opened file is named with this RAN and the program moves on the next step of the program (see Figure 7) and the next screen, Screen 2:

25 SCREEN NO. 2

ENTER VIN: (Press ENTER to accept)

Is VIN correct? (Press Y or N)

The next screen which appears requests the vehicle registration or identification number ("VIN"). The "blinking box" routine described above is used again, as with all data entry boxes in other screens. Once the VIN has been correctly entered, it is stored

-30-

in the file with other associated data called up from the data base and default tables. This data consists of the class of the vehicle, cellular phone number, activation code, valet lock code and default values.

5 Screen 3 appears next:

SCREEN NO. 3

Enter Rental Return Date | / / | (Press ENTER to accept)

10 Is RRD correct? (Press Y or N) There is no need to enter the time of return because that time is entered, by means of the internal clock of the on-board computer, when the phone is activated to check it out. That time of day is the same as the time of day when
15 the car is rented.

Still referring to Figure 7, Screen No. 3 asks for the rental return date ("RRD"). This data is added to the file and used for calculating the required credit approval, and it is the date on which the rental
20 telephone will be automatically disabled, unless the rental is extended by the rental company. Screen 4 next appears:

SCREEN NO. 4

Enter Charge Limit or press ENTER to select
25 standard limit:
Standard Limit: \$XX.XX per day - \$YYYYY.YY for rental
 (Press ENTER to accept)

Is Charge Limit correct? (Press Y or N)

30 Screen, No. 4 asks for the Charge Limit; the maximum dollar amount of charges that can be incurred for use of the telephone.

There are two ways of establishing the limit. The first is with the pre-programmed default values. These default values are determined based on prior

-31-

rental data as to the type of customers which rent each class of car, and an expected per- day usage allowance can be associated with each car class. The computer accesses this allowance, multiplies it by the number of days of the rental, and calculates and displays the total charge limit.

The second method of establishing the charge limit is by inputting it manually by operation of the keyboard. Thus, limits permitting heavier usage than the default values can be entered. Credit card authorization for the total is obtained by the operator so that there is strong assurance that the bill for the telephone rental will be paid. If the customer's credit card does not have sufficient credit to cover the total charge limit, then the limit is lowered or the rental is refused.

SCREEN NO. 5

Review Entries: RAN
 VIN
 RRD / /
Charge Limit \$

Any Changes? (Press Y or N)

Next, after the charge limit has been set, Screen No. 5 appears. This screen allows all inputted data to be reviewed and corrected, if necessary. If changes are necessary, the program loops back to the first step (RAN input; see Figures 7 and 8), retains previously-entered data in the data entry field for easy reference, and accepts any changes.

When changes are completed, or if no changes are required, the system computer prints out a contract for the phone rental that the renter signs.

-32-

Preferably, this is a pre-printed form bearing the terms and conditions of the rental, and the computer need only fill out the particulars of the rental, such as start and return dates; RAN; vehicle data; cellular
5 phone number; emergency telephone numbers for towing, etc.; number to call to raise the usage limit or to extend the time of usage; valet lock code; and a list of ongoing promotions. The promotions, for example, can consist of telephone numbers which can be called
10 free by the rental car customer to make reservations or receive messages from sponsoring restaurants or other businesses who are paying the rental company a promotional fee, or civic or charitable events which the company wishes to promote.

15 By entering "N" during Screen No. 5, the phone activation screen (not shown) appears and asks the operator to press one of the keyboard function keys. When this is done, the computer looks up the phone number for the car phone, and dials the phone
20 through a modem. Either the car telephone will answer and the phone system will be activated, or the phone will not answer because the relay 74 has opened. In the latter case the phone system will be activated by the renter upon starting the car.

25 When the telephone is still connected to the car battery 76, the computer will send a security code to the on-board computer which, upon receipt, will open a data link. Once the data link has been established, the system computer will send the activation code.
30 This will turn on the mobile telephone system. Next, the customer and vehicle parameters such as the rental agreement number, rental return date, the call charge limit, and vehicle identification number are downloaded into the on-board computer in the mobile telephone.

-33-

The system computer then re-sends the security code and this closes the data link and terminates the call. The mobile telephone device is now ready for use.

Activation of the telephone after the
5 connection of the telephone to the car battery has been broken proceeds in a different way. When the computer places a call to the car phone, the phone will not answer. The customer still is given a telephone rental contract as if the phone had been activated but the
10 customer will have to place a call from the car to actually activate the telephone.

The activation procedure in the latter case is as follows. When the customer gets to the car in the rental lot, he or she starts the car. This
15 connects the phone system to the car battery, due to closing of the ignition switch 78 (Figure 2). The customer then enters a command into the telephone handset which initiates a series of steps which will activate the telephone. First, the on-board computer
20 70 will dial up the system computer through its own modem. It will send the proper security code to establish a data link with the rental station computer. The rental station computer will look through its files to determine whether or not the calling number is due
25 to be activated. If so, the phone will be activated by the procedure described above.

CALL ACCOUNTING/UP-DATE

During the rental, the on-board computer 70 calculates the rental charges, and stores the charges
30 and other call detail data in RAM. It adds the charges together to produce a sum total. Updating, consisting of changing limits or other adjustable parameters, will be described below.

-34-

LIMIT ENFORCEMENT

The enforcement of the charge limits and time limits preferably is accomplished by the on-board computer 70 in the mobile telephone device 62 with the aid of the internal electronic clock 96 (Figure 4) which is connected to the battery 98 at all times. The clock 96 keeps the time of day and the date.

The computer 70 is programmed to perform an enforcement routine every time the telephone is picked up to be used for receiving or sending a call, except for free calls. The Limit Check enforcement routine, shown in Figure 9 of the drawings, causes the computer 70 to compare the current date and time of day with the pre-set time limit, and disables the telephone for all incoming and outgoing calls, except emergency and free calls, when:

$$A = T + Q,$$

where A is the current time and date; T is the pre-set time limit, and Q is the overtime use permitted by the rental company. When the phone is disabled, the display lamp 85 (Figure 2) is lighted to warn the user.

If the time limit has not expired, the time remaining is displayed in the display space 85.

If the time limit has not been reached, the program causes the computer 70 to compare the total charges accumulated for the use of the telephone by the current customer with the pre-determined charge limit. When the total charges Y are found to have reached or exceeded the value of:

$$Y = X - M$$

Where X is the charge limit, and M is the minimum charge for an incoming or outgoing call, the computer 70 disables the telephone device from sending

-35-

or receiving any calls except free calls or emergency calls and lights the display lamp 87 (Figure 2). The disabling action occurs when Y is less than X because otherwise the authorized amount (Y) would be exceeded
5 by the next call.

If the change limit has not been reached, the credit remaining is displayed at 87.

It should be understood that the display of time or credit remaining is an optional feature.

10 It also is an optional feature of the invention to repeat the Limit Check routine periodically during each phone call and selectively disable the phone if either limit is reached during the call. Since this can create considerable customer
15 displeasure, some telephone lessors may prefer to take the risk involved in allowing the completion of a call, even after a limit has been reached.

In Figure 9, the dashed "RETURN" line indicates such optional repetition of the Limit Check
20 routine. the repetition preferably is at a rate which is a function of the time duration of the call; e.g., once every minute, or once every five minutes.

If desired, a warning can be given to the user that he or she is within a certain length of time
25 of reaching the time limit, or is within a certain amount of reaching the charge limit. This can be done by causing the lamp 85 and/or 83 (Figures 2) to flash periodically. If this warning is given, the enforcement of the limits during calls can be done with
30 less customer displeasure because the customer often can tailor the call to fit the time or credit available, if given such a warning.

If the flashing warning light feature is used, either with or without limit enforcement during

-36-

calls, the added cost of displaying the amounts of the time or credit remaining can be avoided, because the flashing light often will be adequate.

5 The flashing warning light feature is shown in dashed outline in the flow chart of Figure 9.

10 Rather than using flashing or steady lights to advise the use regarding the approach to or arrival at one of the limits, it often will be preferable to develop an audible signal. This avoids the need for an automobile driver to turn his or her eyes away from the road and reduces manufacturing and installation costs.

15 The computer 70 can be programmed to sound a "beep" tone once every minute during the warning period, and a rapidly-repeated "beep" tone after the limit has been reached. Alternatively, a voice-message generator chip can be used to deliver a message such as "you have only five more minutes of time left", or "you have only twenty dollars more credit left." "Please call your rental station to revise your limit."

20 If an on-going call is to be interrupted, the periodic "beep" warning is preferred over the recorded voice message, so as to avoid seriously interfering with the call.

25 The mobile telephone device 62 has the ability to be re-programmed remotely during a rental to increase or decrease the time and/or charge limits.

CHANGING LIMITS

30 The customer can tell that the time and/or charge limit has been reached because one or both of the lamps 83 and 87 is lighted or an audio message is given.

If the customer decides that he or she wishes to keep the car longer than originally authorized, or to use the telephone beyond the original charge limit,

-37-

the customer merely makes a call to the rental station and requests the increase desired. This call is one of the calls still permitted even when the time or charge limit has been reached. It is preferred that this and
5 other calls so permitted be free.

New charge and/or time limits are set in accordance with the check-out/set-up procedures described above. That is, new credit card
10 authorization is obtained by phone for the new time limits and/or phone rental charge limits. Then, the system computer sends a security code to establish a data link between the telephone and the computer, and sends the new limits to the phone's computer. The
15 phone then is enabled until the new limits have been exhausted.

The same procedure can be used to reduce the time and charge limits if necessary; for example, the charge limit can be reduced if an error was made in obtaining authorization of the charge limit amount.

20 CHECK-IN/SHUT-DOWN

Figure 10 shows the steps used in checking the phone in, printing a bill, and shutting the phone down upon its return. A data link is formed between the phone and one of the computer terminals, either by
25 phone or by cable, or by way of a portable data gathering device. The contents of the memory of the phone computer 70 are read-out and displayed on the computer screen. If the display is o.k., the operator pushes an appropriate function key to print the bill,
30 and to disable the telephone. The data in the phone memory is cleared during the phone activation routine when the phone is rented again.

-38-

INCOMING CALL CONTROL

In rental telephones, the problem arises that unwanted calls directed to a prior user of the phone may be received by the current renter. This can arise because the prior user gave the telephone number to people to call him, and failed to tell them when he would return the phone, or returned it sooner than expected. Not only is this a nuisance to the current renter, but it adds charges to his bill because incoming calls are charged for, as well as outgoing calls.

In accordance with a further feature of the invention, the foregoing problem is alleviated by adding a specific number for each phone when it is rented out, and changing that number with each successive rental of the same phone. Then, when callers dial the prior number of the phone, the call will not be accepted because the phone then will have a new number.

This feature is implemented by programming the on-board computer 70 to answer each incoming call, but delay ringing the mobile telephone until a certain length of time has passed. If a tone signal representing the correct added digit is received within the delay time, then the computer causes the mobile phone to ring. If not, then the phone does not ring, and the call is disconnected.

Preferably, the computer is programmed to index the extra number automatically upon each downloading of data or similar event signifying a new rental.

This optional feature can be enabled or disabled by the rental agent, or manually changed, if desired. It also can be changed remotely, in the same

-39-

way that limits can be changed, as described above. In this way, renters' preferences can be accommodated.

AUTOMATIC CREDIT FOR DROPPED CALLS

Another problem with mobile telephones is
5 that the calls can be "dropped" or interrupted by local interference or other causes. Normally, part of a minute of "air time" is charged for by the mobile phone system as if it were a full minute.

In some cellular phone systems, a time delay
10 is provided (e.g., 10 seconds) between the time when the connection is broken and when the connection is dropped, so that if the user presses the "SEND" button on his phone, the company will give him credit for the last minute of the call. Then, the user must dial the
15 call again.

The preferred telephone of the present invention does not have a "SEND" button. However, credit is given for the last minute of a dropped call by use of the answer detect circuit 97 (Figure 4) to
20 detect the hang-up of the called party, and using that detection to identify a completed call and differentiate it from a dropped call. When the hang-up signal is not detected, credit is given to the user for the last minute of the dropped call. Also, the
25 computer 70 is programmed to develop a "SEND" signal and send it to the cellular system so that the lessor of the telephone (e.g., the hotel or car rental company) also gets credit for the last minute of the dropped call.

30 The answer detect circuit 97 is well-known, and in view of the disclosure above, the programming steps to implement the incoming call control and dropped call credit features are well within the skill of the art to provide.

-40-

VALET LOCK

The mobile telephone of the invention preferably has a "valet lock" feature, in which the renter can simply press a series of push buttons on the telephone key pad 82 (Figure 2) and at least partially
5 disable the telephone, and later repeat the procedure to enable the phone again. This is useful, for example, when the car in which the phone is installed is turned over to a valet for parking, or is loaned to
10 someone who should not be allowed to use the telephone. The problem also can exist with portable phones such as those shown in Figures 5 and 11 when the renter wishes to leave the phone in a hotel room, car or other place where unauthorized personnel might be tempted to use
15 the phone and generate substantial usage charges.

In prior mobile telephones, the transceiver 66 (Figure 2) has a "lock" feature which can be activated by dialing certain numbers on the key pad 82, and this will disable the transceiver entirely.
20 Unfortunately, some interface devices, when used with the transceiver, do not allow this type of operation. Moreover, the inventors have recognized that it would constitute a substantial improvement to only partially disable the phone and continue to allow its use at
25 least for emergency calls, such as calls to the 911 number.

Accordingly, in the present invention, the on-board computer 70 is programmed to disable the telephone only for making and receiving calls other
30 than emergency calls, and, optionally, free calls e.g., to the rental station, for promotions, etc. and data lines. The computer 70 is programmed to recognize the dialing of the valet code to partially disable the

-41-

phone, and to recognize the later dialing of the same code to re-enable the phone.

Preferably, a separate, unique valet code can be set for each phone, and need not be displayed on the phone. This eliminates a further problem with some prior devices in which each phone uses the last four digits of the phone number as a lock code. Since the phone number appears on the phone, unscrupulous people are allowed to defeat the lock by simply reading the numbers on the phone, and dialing them.

This feature also has other advantages.. For example, even though the customer has used the valet lock and does not unlock the phone before returning the car, if a data line remains enabled, the operator at the rental terminal can interrogate the computer 70 and download its contents without unlocking it.

HARDWARE

The hardware components of the system are conventional and readily available on the open market.

The interface device 68 shown in Fig. 2 is readily available. For example, a suitable device is sold by Telular Inc. of Wilmette, Illinois. Other such devices are available from Motorola and others.

The transceiver 66 also is conventional and suitable devices are sold by several companies, e.g. Motorola. The telephone hand-set 72 also is conventional and readily available.

A suitable hand-held printer capable of use in downloading and printing rental data from the on-board computer 70 is, for example, a Seiko Model DPU-40 thermal dotmatrix printer, made by Seiko Instruments, U.S.A. The modems, computer terminals and printers all are standard equipment.

-42-

The answer detection device 97 (Figure 2) also is known. A suitable device is made, for example, by Subcon Mfg. Inc., Algonquin, Illinois.

5 It can be seen from the foregoing that the invention amply satisfies the objectives set forth above.

10 The foregoing is not to be considered to be an exhaustive description of the invention. The invention can be practiced in various ways, including some not specifically described above, and still use the heart and spirit of the invention set forth in the claims.

-43-

CLAIMS:

1. A mobile telephone device, said device comprising, in combination, mobile transceiver means for making and receiving telephone calls, means for
5 registering a rental parameter of said telephone device during specific periods of time, and disabling means, responsive to signals indicating that said parameter has reached a pre-determined limit, for disabling said telephone device.
- 10 2. A mobile telephone rental method, said method comprising the steps of providing a mobile telephone device, said device being adapted to store and read-out telephone usage data, providing control means for reading out said data from said telephone
15 device, and preparing a corresponding telephone usage charge record to the user of said device.
- 20 3. A mobile telephone device for rental vehicles, said telephone device comprising, in combination, a mobile telephone transceiver mounted in said vehicle, storage means mounted in said vehicle and connected to said transceiver for storing signals representing telephone usage data for said telephone device, and read-out means responsive to a read-out
25 signal for delivering signals corresponding to said data from said storage means for utilization at said station.
- 30 4. A mobile telephone rental system, said system comprising, at least one mobile telephone device, said telephone device including means for making and receiving telephone calls, storage means for storing call detail record information signals, and read-out means for reading out said call detail record information in response to the receipt of an interrogation signal and control means at said rental

-44-

station, said control means including retrieval means for sending said coded interrogation signal to said telephone device and retrieving said call detail record information signals.

5 5. A mobile telephone device, said device comprising, in combination, means for sending and receiving telephone calls from a mobile location, data storage means for storing electrical signals representing call records for the use of said device
10 for a plurality of calls over a period of time, and means for transferring said signals to a data transfer device in response to connection of the data transfer device to said telephone device.

15 6. A mobile telephone device comprising a transceiver, transducer means for converting speech to electrical signals, and for converting received electrical signals into sound, interface means for converting signals from said transceiver means to standard telephone signals for use by said transducer
20 means, answer detection means for detecting the answer of a called telephone and the hang-up of a completed call, call accounting data processing means for recording and storing call detail data for answered outgoing calls, and for developing a credit signal for
25 giving credit for the last time unit of a call charge when a hang-up signal has not been detected by the time a call has been disconnected.

30 7. A rental mobile telephone device, said device comprising, in combination, means for adding at least one variable digit to the telephone number to be called to reach said telephone device, and for making said device responsive only to the number with such an added digit, whereby the added digit can be changed after every rental so as to prevent callers who use the

-45-

telephone number with the old digit from completing a call to said telephone device.



8. A method of renting mobile telephones, said method comprising the steps of setting an added
5 digit on the telephone number of a telephone prior to a first rental of said telephone, and changing said digit on each of a plurality of subsequent rentals of said telephone, said changing step being performed with a frequency sufficient to substantially prevent the
10 completion of calls to a telephone from a caller, using a telephone number having an added digit used by a prior renter of the telephone.

9. A mobile telephone device comprising a transceiver, transducer means for converting speech to
15 electrical signals, and for converting received electrical signals into sound, interface means for converting signals from said transceiver means to standard telephone signals for use by said transducer means, on-board computer means, means for mounting said
20 telephone device in an automobile, dialing means, said computer means being responsive to the dialing of a pre-determined sequence of digits on said dialing means for disabling said telephone device for receiving or sending selected calls, and responsive to the dialing
25 of a pre-determined sequence of digits to re-enable said telephone device.

10. A mobile telephone device, said device comprising, in combination, transceiver means, computer means for on-board computing of call charge data,
30 detection means for detecting the answer of phone calls, and means for utilizing the output of said detection means for controlling said computer means to ensure that charges are made only for completed call connections.

-46-

11. A method of point-of-use call accounting and billing in mobile telephone rental, said method comprising the steps of providing a mobile telephone with an on-board call charge computer, data storage
5 means for storing electrical signals representing charge data for a plurality of calls during a given time period, transmitting said data to record preparation means at a rental station at the end of said time period, and preparing a record of said call
10 charges at said rental station.








FIG. 2

**FIG. 3****FIG. 4**




FIG. 5




FIG. 6




FIG. 11

5/6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

07/492,576 03/13/90 340 2609

TOMOAKI KAWAI, YOKOHAMA, JAPAN; HIROAKI SATOH, SAGAMIHARA, JAPAN;
HIDEYUKI TAMURA, TOKYO, JAPAN.

CONTINUING DATA***
VERIFIED

FOREIGN/PCT APPLICATIONS***
VERIFIED JAPAN 1-123868 05/16/89

FITZPATRICK, CELLA, HARPER & SCINTO JPX 7 3 \$490.00 862222
277 PARK AVE.
NEW YORK, NY 10172

IMAGE PROCESSING SYSTEM

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US92/01774

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ³		
According to International Patent Classification (IPC) or to both National Classification and IPC IPC (5 ¹): H04Q 7/04 US CL : 379/58		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁴		
Classification System	Classification Symbols	
U.S.	379/58, 59, 91, 121, 144 455/18, 90	
Documentation Searched other than Minimum Documentation to the extent that such Documents are included in the Fields Searched ⁵		
III. DOCUMENTS CONSIDERED TO BE RELEVANT ¹⁴		
Category*	Citation of Document, ¹⁶ with indication, where appropriate, of the relevant passages ¹⁷	Relevant to Claim No. ¹⁸
Y	US, A, 3,806,922 (Isbister) 23 April 1974, See figures 2a-c.	4
Y	US, A, 4,284,848 (Frost) 18 August 1981, See figures 21-24.	5
<u>X</u> Y	US, A, 4,776,003 (Harris) 04 October 1988, See figures 1-4, column 1, lines 44-49, 62-68; column 2, lines 54-65; column 3, lines 28-65.	<u>1</u> 2-11
<u>X</u> Y	US, A, 4,777,646 (Harris) 11 October 1988, See figures 1-4.	<u>1</u> 2-11
Y	US, A, 4,965,821 (Bishop et al) 23 October 1990, See figures 1-4, column 2, lines 26-50; column 3, lines 40-53; column 5, lines 40-61; column 6, lines 1-50; column 7, lines 41-68; column 8, lines 1-24; column 10, lines 56-68; column 11, lines 22-45; column 13, lines 6-18.	8-11
Y	US, A, 4,975,942 (Zebryk) 04 December 1990, See figures 2-3, column 1, lines 46-68; column 3, lines 15-39; column 4, lines 48-64.	7
* Special categories of cited documents: ¹⁵ <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p> </div> </div>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search ²	Date of Mailing of this International Search Report ²	
12 MAY 1992	02 JUL 1992	
International Searching Authority ¹	Signature of Authorized Officer ²⁰	
ISA/US	For <i>Nguyen Ngoc-Ho</i> WILLIAM CUMMING INTERNATIONAL DIVISION	

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

Y, P	US, A, 5,086,510 (Guenther et al) 04 February 1992, See figure 1,2.	5
------	---	---

V. ☐ OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE¹

1. ☐ Claim numbers , because they relate to subject matter (1) not required to be searched by this Authority, namely:

2. ☐ Claim numbers , because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out (1), specifically:

3. ☐ Claim numbers , because they are dependent claims not drafted in accordance with the second and third sentences of PCT Rule 6.4(a).

VI. ☐ OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING²

This International Searching Authority found multiple inventions in this international application as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims of the international application.
2. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:
3. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:
4. ☐ As all searchable claims could be searched without effort justifying an additional fee, the International Search Authority did not invite payment of any additional fee.

Remark on protest

- ☐ The additional search fees were accompanied by applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US92/01774

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ³		
According to International Patent Classification (IPC) or to both National Classification and IPC IPC (5): H04Q 7/04 US CL : 379/58		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁴		
Classification System	Classification Symbols	
U.S.	379/58, 59, 91, 121, 144 455/18, 90	
Documentation Searched other than Minimum Documentation to the extent that such Documents are included in the Fields Searched ⁵		
III. DOCUMENTS CONSIDERED TO BE RELEVANT ¹⁴		
Category*	Citation of Document, ¹⁶ with indication, where appropriate, of the relevant passages ¹⁷	Relevant to Claim No. ¹⁸
Y	US, A, 3,806,922 (Isbister) 23 April 1974, See figures 2a-c.	4
Y	US, A, 4,284,848 (Frost) 18 August 1981, See figures 21-24.	5
<u>X</u> Y	US, A, 4,776,003 (Harris) 04 October 1988, See figures 1-4, column 1, lines 44-49, 62-68; column 2, lines 54-65; column 3, lines 28-65.	<u>1</u> 2-11
<u>X</u> Y	US, A, 4,777,646 (Harris) 11 October 1988, See figures 1-4.	<u>1</u> 2-11
Y	US, A, 4,965,821 (Bishop et al) 23 October 1990, See figures 1-4, column 2, lines 26-50; column 3, lines 40-53; column 5, lines 40-61; column 6, lines 1-50; column 7, lines 41-68; column 8, lines 1-24; column 10, lines 56-68; column 11, lines 22-45; column 13, lines 6-18.	8-11
Y	US, A, 4,975,942 (Zebryk) 04 December 1990, See figures 2-3, column 1, lines 46-68; column 3, lines 15-39; column 4, lines 48-64.	7
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>¹⁵ Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p> </div> </div>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search ²	Date of Mailing of this International Search Report ²	
12 MAY 1992	02 JUL 1992	
International Searching Authority ¹	Signature of Authorized Officer ²⁰	
ISA/US	For <i>William Cumming</i> WILLIAM CUMMING INTERNATIONAL DIVISION	

379/50
Dedicated to my mother

Library of Congress Cataloging-in-Publication Data

Lee, William C. Y.
Mobile cellular telecommunications systems.

Includes index.

1. Cellular radio. I. Title.

TK6570.M6L35 1989 621.3845 88-12795
ISBN 0-07-037030-3

Copyright © 1989 by McGraw-Hill Book Company. All rights reserved.
Printed in the United States of America. Except as permitted under the
United States Copyright Act of 1976, no part of this publication may be
reproduced or distributed in any form or by any means, or stored in a
data base or retrieval system, without the prior written permission of
the publisher.

7890 KP/KP 93

ISBN 0-07-037030-3

*The editors for this book were Daniel Gonneau and Rita T. Margolies,
the designer was Naomi Auerbach, and the production supervisor was
Dianne Walber. It was set in Century Schoolbook. It was composed by
Techna Type, Inc.*

Printed and bound by Arcata Graphics/The Kingsport Press.

*For more information about other McGraw-Hill materials,
call 1-800-2-MCGRAW in the United States. In other
countries, call your nearest McGraw-Hill office.*

Information contained in this work has been obtained by McGraw-Hill, Inc. from sources believed to be reliable. However, neither McGraw-Hill nor its authors guarantees the accuracy or completeness of any information published herein and neither McGraw-Hill nor its authors shall be responsible for any errors, omissions, or damages arising out of use of this information. This work is published with the understanding that McGraw-Hill and its authors are supplying information but are not attempting to render engineering or other professional services. If such services are required, the assistance of an appropriate professional should be sought.

Prefac

Chap

1.1
Spe
Sys
Env
age
1.10

Chap

2.1
Rel
2.4
Sy
2.7

Chap

3.1
Sta
(Ur
Sy

Chap

4.1
4.3
Ne
Lo
4.8
Po
Co